L4.5PNF-RC



Type N Female RingFlare™ for 5/8 in LDF4.5-50 cable

Product Classification

Product Type Wireless and radiating connector

Product Brand HELIAX®

General Specifications

Body StyleStraightCable FamilyLDF4.5-50Inner Contact Attachment MethodCaptivated

Inner Contact Plating Gold

InterfaceN FemaleMounting AngleStraightOuter Contact Attachment MethodSelf-flareOuter Contact PlatingTrimetal

Pressurizable No

Dimensions

 Length
 76.2 mm | 3 in


 Diameter
 33.02 mm | 1.3 in

Nominal Size 5/8 in

Outline Drawing



L4.5PNF-RC



Electrical Specifications

Insertion Loss, typical 0.05 dB

Average Power at Frequency 0.6 kW @ 900 MHz

Cable Impedance50 ohmConnector Impedance50 ohmdc Test Voltage2000 VInner Contact Resistance, maximum2 mOhmInsulation Resistance, minimum5000 MOhm

Operating Frequency Band 0 - 6100 MHz
Outer Contact Resistance, maximum 0.3 mOhm
Peak Power, maximum 40 kW
RF Operating Voltage, maximum (vrms) 707 V
Shielding Effectiveness -110 dB

Mechanical Specifications

Attachment Durability 25 cycles

Connector Retention Tensile Force 889.64 N | 200 lbf

Connector Retention Torque 5.42 N-m | 47.998 in lb

COMMSCOPE®

L4.5PNF-RC

Insertion Force 66.72 N | 15 lbf

Insertion Force Method MIL-C-39012C-3.12, 4.6.9

Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Environmental Specifications

Operating Temperature-55 °C to +85 °C (-67 °F to +185 °F)Storage Temperature-55 °C to +85 °C (-67 °F to +185 °F)

Attenuation, Ambient Temperature $20 \, ^{\circ}\text{C} \mid 68 \, ^{\circ}\text{F}$ Average Power, Ambient Temperature $40 \, ^{\circ}\text{C} \mid 104 \, ^{\circ}\text{F}$

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Moisture Resistance Test Method MIL-STD-202F, Method 106F

Thermal Shock Test MethodMIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method IEC 60068-2-6

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66

Packaging and Weights

Weight, net 227 g | 0.5 lb

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system



* Footnotes

Insertion Loss, typical 0.05v⁻freq (GHz) (not applicable for elliptical waveguide)

Immersion Depth Immersion at specified depth for 24 hours

COMMSC**©**PE°