

DS-KH2220

Four-Wire Analog Indoor Station



- Four wire (analog) indoor station
- 7" Screen LCD with physical buttons
- Video intercom communication
- Supports three indoor stations cascading
- Remote unlocking, monitoring door station and external analog camera


▪ **Specification**

Display parameters	
Display Resolution	800 × 480
Display Screen	7-Inch Colorful TFT LCD
Operation Method	Physical Button
Audio parameters	
Audio Input	Built-in Omnidirectional Microphone
Audio Output	Built-in Loudspeaker
Audio Quality	Noise Suppression and Echo Cancellation
General	
Power Supply	12 VDC
Power Consumption	≤ 5 W
Working temperature	-10° C to + 55° C (14° F to 131° F)
Working humidity	10% to 90%
Dimensions (L x W x H)	195.8 mm × 132.8 mm × 18.39 mm (7.7" × 5.2" × 0.7")
Door station	
Power supply	12 VDC

▪ **Available Model**

DS-KH2220

▪ **Dimension**



Unit:mm

- Accessory
- Optional

DS-KA01-ZX-3 Demo Kit (old version)	DS-KIS202 Villa Analog Kit
	

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.

