


[4 WIRE VIDEO SYSTEM FOR VILLA]




4 WIRE VIDEO SYSTEM FOR VILLA

KVL-C304i + KEL-212 > UP TO 16 HOUSE



DIAGRAM

KVL-TC308i + KEL-T324 > UP TO 32 HOUSE



4 WIRE VIDEO SYSTEM FOR VILLA

Multi Entry Panel Camera

KVL-C302i / C303i / C304i / TC306i / TC308i

FUNCTION

- Mutual call with residents
- Easy & simple installation
- Door Open by I-Button Key (Dallas Chip) *optional
- Up to 1,300 numbers of I-Button Key registration
- White LED for visitor recognition at night

- Button type :
 - KVL-C302i : Direct 2 push button type
 - KVL-C303i : Direct 3 push button type
 - KVL-C304i : Direct 4 push button type
 - KVL-TC306i : Direct 6 push button type
 - KVL-TC308i : Direct 8 push button type

- EXTENSION PANEL
 - KEL-303: Direct 3 push button type
 - KEL-306: Direct 6 push button type
 - KEL-309: Direct 9 push button type
 - KEL-212: Direct 12 push button type
 - KEL-T324: Direct 24 push button type




SPECIFICATIONS

Model No.	KVL-C302i / C303i / C304i / TC306i / TC308i
Power	DC 12V, 1.5A
Power Consumption	1.2W at stand by 5.6W in operation
Horizontal Resolution	Over 420 TV Lines
Assurance Temperature	-20°C ~ +50°C
TV System	NTSC / PAL
Lens	F = 3.6mm, F : 1.6

Camera Angle	Diagonal 81° (angle adjustable)
AGC Control	Auto
BLC	Auto
Body Material	METAL (Zn, Al)
Min. illumination	0.1 Lux (LED On)
Mount type	Flush Mount
Dimension (mm)	125(W) x 290(H) 48.4(D) mm

CONNECTABLE PRODUCT




CONNECTABLE PRODUCT




PRODUCT LINE UP

KVL-C30X Series (Video Lobbyphone)



Extension Panel



SYSTEM CONFIGURATION (UP TO 40 HOUSE)

