



MERIVA[®]
TECHNOLOGY

Streamax

MSCREEN MONITOR 7"


Features

- Monitor Free Operating Voltage: DC11-32V.
- Automatically Adjust Brightness, contrast, color, tone to Display. The default value is 50, free adjust value from 0 to 100.
- Multi Language of display available: Chinese, English, French, German, Italian, Spanish, Portuguese and Russian.
- Automatically Adjust color system(NTSC/PAL).
- Monitor can support CAM1 video input.

Specification

Model: MSCREEN


Model	MSCREEN
TFT LCD Monitor	7 "
Color System	AHD 720P/1080P
Display Resolution	1024RGB(H) X 600(V)
Viewable area	154.2(H) X 85.9(V)
Brightness (cd/m ²)	600cd/m ²
Contrast ratio	700:1
Viewing Angle (LR/UD)	160/160
LED Electric current	8.7V / 220mA
Overall Power Consumption	Max 5W
Operating Voltage	DC11V ~ DC32V
Operating temperature	-20℃~+70℃ Max
Storage temperature	-30℃~+80℃ Max
Motherboard chipset	ATM630M
Power output	DC10.5V/750mA





MERIVA[®]
TECHNOLOGY
Streamax

3、Port name



SPECIFICATION FOR APPROVAL

PAGE 3