

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Address:

Country:

Contact:

Phone:

FAX:

Email:

Applicant: ET SOLAR POWER HONGKONG

**LIMITED** 

Manufacturer: GREEN WING SOLAR TECHNOLOGY

0086 13775662966

liwei@bd-solar.com

CO.,LTD.

**VIETNAM** 

Li Wei

**ROOM 01 21F XINGFA COMMERCIAL** 

BUILDING 9TH TOBACCO FACTORY

STREET MONG KOK, Hong Kong SAR

Lot D1-1, Dai Dong-Hoan Son Industrial

Zone, Hoan Son Commune,

Tien Du District, Bac Ninh Province

Country: China Contact: Li Wei

**Phone:** 0086-13775662966

FAX: -

Address:

7000 10110002000

Email: liwei@bd-solar.com

Party Authorized To Apply Mark: Report Issuing Office:

Same as Manufacturer

Intertek Testing Services Shanghai Limited

Control Number: <u>5014647</u>

4647 Authorized by:

for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]

Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]

Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]

### Standard(s):

Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]

Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]

Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]

Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]

Product: Crystalline Silicon Photovoltaic (PV) Modules

Brand Name: ET Solar

ET-P672 followed by 330, 335, 340 or 345; followed by WW or WB.

ET-P660 followed by 275, 280 or 285; followed by WW or WB.

ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB.

ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB.

ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or

455; followed by WW or WB.

Models:

ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by

WW or WB.

ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by

TW.

ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW.

ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440 or 445; followed by

BB.

ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 360, 365 or 370; followed by BB.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Address:

Country:

Contact:

Phone:

FAX:

Email:

ET SOLAR POWER HONGKONG Applicant:

LIMITED

Manufacturer: VESOLAR COMPANY LIMITED

**ROOM 01 21F XINGFA COMMERCIAL** 

**BUILDING 9TH TOBACCO FACTORY** 

STREET MONG KOK, Hong Kong SAR

Lot CN2-7, Que Vo 3 Industrial Park, Viet

Hung Town, Que Vo District, Bac Ninh

Province, 790000

0086 13775662966

liwei@bd-solar.com

Vietnam

Li Wei

China Country: Contact: Li Wei

0086-13775662966 Phone:

FAX:

Address:

liwei@bd-solar.com

Email:

Party Authorized To Apply Mark:

**Report Issuing Office:** 

Same as Manufacturer

Intertek Testing Services Shanghai Limited

Control Number: <u>5017056</u> Authorized by:

for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]

Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]

Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]

### Standard(s):

Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]

Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]

Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]

Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]

**Product:** Crystalline Silicon Photovoltaic (PV) Modules

Brand Name: ET Solar

ET-P672 followed by 330, 335, 340 or 345; followed by WW or WB.

ET-P660 followed by 275, 280 or 285; followed by WW or WB.

ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB.

ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB.

ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or

455; followed by WW or WB.

Models:

ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by

WW or WB.

ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by

ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW.

ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440 or 445; followed by

BB.

ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 360, 365 or 370; followed by BB.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

ET SOLAR POWER HONGKONG Applicant:

LIMITED

ET SOLAR TECHNOLOGY Manufacturer:

Cambodia

Zheng Lu Rong

0086-18651165405

(CAMBODIA)CO.,LTD

**ROOM 01 21F XINGFA COMMERCIAL** 

Road51, Damnak Pring Village, **BUILDING 9TH TOBACCO FACTORY** Tomnob Thom Commune, Ponhear Loe Address:

Country:

Contact:

Phone:

FAX:

Email:

STREET MONG KOK, Hong Kong SAR

District, Kandal Province.

China Country: Contact: Li Wei

Phone:

FAX:

Address:

0086-13775662966

liwei@bd-solar.com Email:

Party Authorized To Apply Mark:

Same as Manufacturer

**Report Issuing Office:** Intertek Testing Services Shanghai Limited

Control Number: <u>5018215</u> Authorized by:

for L. Matthew Snyder, Certification Manager

lurongzheng@bd-solar.com



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]

Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]

Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]

### Standard(s):

Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]

Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]

Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]

Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]

**Product:** Crystalline Silicon Photovoltaic (PV) Modules

Brand Name: ET Solar

ET-P672 followed by 330, 335, 340 or 345; followed by WW or WB.

ET-P660 followed by 275, 280 or 285; followed by WW or WB.

ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB.

ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB.

ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or

455; followed by WW or WB.

Models:

ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by

WW or WB.

ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by

ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW.

ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440 or 445; followed by BB.

ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 360, 365 or 370; followed by BB.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Address:

Country:

Contact:

Phone:

FAX:

Email:

ET SOLAR POWER HONGKONG Applicant:

LIMITED

JinTek Photovoltaic Technology Manufacturer:

CO..LTD

**ROOM 01 21F XINGFA COMMERCIAL** 

**BUILDING 9TH TOBACCO FACTORY** 

STREET MONG KOK, Hong Kong SAR

PHUM PREY SALA, SANGKAT KAKAB

TI 2.KHAN POU SENCHEY,

wenzhi.yang@jinteksolar.com

PHNOM PENH.

Yang Wen Zhi

+855 016418269

Cambodia

China Country: Contact: Li Wei

0086-13775662966 Phone:

FAX:

Address:

liwei@bd-solar.com Email:

Party Authorized To Apply Mark:

Same as Manufacturer

**Report Issuing Office:** Intertek Testing Services Shanghai Limited

Control Number: <u>5018214</u>

Authorized by:

for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]

Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]

Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]

### Standard(s):

Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]

Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]

Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]

Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]

**Product:** Crystalline Silicon Photovoltaic (PV) Modules

Brand Name: ET Solar

1 Solar

ET-P660 followed by 275, 280 or 285; followed by WW or WB.

ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB.

ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB.

ET-P672 followed by 330, 335, 340 or 345; followed by WW or WB.

ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or

455; followed by WW or WB.

Models:

 $ET-M660BH\ followed\ by\ 315,\ 320,\ 325,\ 330,\ 335,\ 340,\ 345,\ 350,\ 355,\ 360,\ 365,\ 370\ or\ 375;\ followed\ by\ 315,\ 320,\ 320,\ 320,$ 

WW or WB.

ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by

ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW.

 $ET-M672BH\ followed\ by\ 385,\ 390,\ 395,\ 400,\ 405,\ 410,\ 415,\ 420,\ 425,\ 430,\ 435,\ 440\ or\ 445;\ followed\ by\ 445,\ 440,\ 440,\ 445,\ 440,\ 445,\ 440,$ 

BB.

ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 360, 365 or 370; followed by BB.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: ET SOLAR POWER HONGKONG LIMITED

5019712

Manufacturer:

SHENGTIAN NEW ENERGY VINA CO.,

Manufacturer: LTE

**ROOM 01 21F XINGFA COMMERCIAL** 

Workshop A3-A4, Phu Thai Industrial

Address: BUILDING 9TH TOBACCO FACTORY STREET MONG KOK, Hong Kong SAR

Address: Park, Phu Thai Town, Kim Thanh District,

Hai Duong Province

Country: China Contact: Li Wei Country: Vietnam
Contact: Gu Fei

**Phone:** 0086-13775662966

Phone: 0086-13401645838

FAX: -

FAX: -

**Control Number:** 

Email: freddy.gu@snevn.com

Email: liwei@bd-solar.com

Same as Manufacturer

Party Authorized To Apply Mark: Report Issuing Office:

Intertek Testing Services Shanghai Limited

Authorized by:

for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]

Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.21

Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]

Standard(s):

Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]

Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]

Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]

Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]

Crystalline Silicon Photovoltaic (PV) Modules Product:

Brand Name: ET Solar

ET-P672 followed by 330, 335, 340 or 345; followed by WW or WB. ET-P660 followed by 275, 280 or 285; followed by WW or WB.

ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB.

ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB.

ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB.

Models:

ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by

ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by

ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW.

ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440 or 445; followed by

ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 360, 365 or 370; followed by BB.