

DS-D42CD-1AAB/R
Receiving card for DS-D42XXCD-1AAB



- Receiving card for DS-D42XXCD-1AAB, Resolution 512×512

▪ Specification

Product Type	
Product Type	Spare Receiving Card
Module	
Resolution	512×512
Key Material	
Driver IC	PGL22G
Control System	DS-D42C20-H
Power	
Power Supply	110~220 VAC ± 15%
Power Load	4.2V
Working Environment	
Working Temperature	-20 ℃ to 60 ℃ (-4 ℃ to 140 ℃)
Working Humidity	10%~80%RH
Storage Humidity	10%~90%RH
Storage Temperature	-20 ℃ to 60 ℃ (-4 ℃ to 140 ℃)
General	
Package Dimension (W × H × D)	117mm x 27mm x 62mm
Dimension (W × H × D)	43 mm × 81 mm × 5 mm
Weight	19.7 g/PCS

▪ Available Model

DS-D42CD-1AAB/R, 接收卡 AXS02

▪ Accessory



See Far, Go Further



www.hikvision.com
support@hikvision.com



© Hangzhou Hikvision Digital Technology Co., Ltd. Unless otherwise agreed, Hikvision makes no warranties, express or implied. We reserve the right to introduce modifications without notice.

HIKVISION®