

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	ET SOLAR POWER I LIMITED	HONGKONG	Manufacturer:	Vietnam Green Energy Commercial Services Company Limited.
Address:	Unit 1002, 10/F, Perfe Building, 20 Austin Ro Tsui, Kowloon, Hong	oad, Tsim Sha	Address:	Lot D1-1, Dai Dong-Hoan Son Industrial Zone, Hoan Son Commune, Tien Du District, Bac Ninh Province
Country:	China		Country:	VIETNAM
Party Authoria Report Issuin	zed To Apply Mark: g Office:	Same as Manufacture Intertek Testing Servic	-	ted
Control Numb	per: <u>5014647</u>	Authorized by:	for L Mot	
				tthew Snyder, Certification Manager

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730- 1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]
Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730- 2:2019 Ed.2]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
	Ometalling Oiling Dhatavaltais (DV) Madulas
Product:	Crystalline Silicon Photovoltaic (PV) Modules
Brand Name:	ET Solar, EliTe Solar
Models:	ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB. ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB. ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB. ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB. ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB. ET-M660BH followed by 520, 525, 530, 535, 540, 545, 550, 555 or 560; followed by TW, TB, WW or WB. ET-M772BH followed by 475, 480, 485, 490, 495, 500, 505 or 510; followed by TW, TB, WW, WB. ET-M766BH followed by 470, 475, 480, 485, 490, 495, 500, 505 or 510; followed by BB. ET-M766BH followed by 435, 440, 445, 450, 455, 460 or 465; followed by TW, TB, WW, WB or BB. ET-M778H followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW or WB. ET-M754BH followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 570, 575, 580, 585, 590, 595, 600 or 605; followed by TW, TB, WW, WB or BB.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	ET SOLAR POWER LIMITED	HONGKONG	Manufacturer:	KITATSU SOLAR (CAMBODIA) CO., LTD.
Address:	Unit 1002, 10/F, Perfe Building, 20 Austin Re Tsui, Kowloon, Hong	oad, Tsim Sha	Address:	Road51, Damnak Pring Village, Tomnob Thom Commune, Ponhear Loe District, Kandal Province.
Country:	China		Country:	Cambodia
Party Authoriz Report Issuin	zed To Apply Mark: g Office:	Same as Manufacture Intertek Testing Servic	-	ted
Control Numb	per: <u>5018215</u>	Authorized by:		
			for L. Mat	thew Snyder, Certification Manager
		C	Jus	

Intertek

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730- 1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]
Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730- 2:2019 Ed.2]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
Product:	Crystalline Silicon Photovoltaic (PV) Modules
Brand Name:	ET Solar, EliTe Solar
Models:	ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB. ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB. ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB. ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB. ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or WB. ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440 or 445; followed by BB. ET-M672BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB. ET-M660BH followed by 320, 325, 530, 535, 540, 545, 550, 555 or 560; followed by TW, TB, WW or WB. ET-M772BH followed by 520, 525, 530, 535, 540, 545, 550, 555 or 560; followed by BB. ET-M772BH followed by 475, 480, 485, 490, 495, 500, 505 or 510; followed by TW, TB, WW, WB. ET-M766BH followed by 470, 475, 480, 485, 490, 495, 500, 505 or 510; followed by BB. ET-M766BH followed by 435, 440, 445, 450, 455, 460 or 465; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 570, 575, 580, 585, 590, 595, 600 or 605; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 570, 575, 580, 585, 590, 595, 600 or 605; followed by TW, TB, WW, WB or BB.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	ET SOLAR POWER LIMITED	HONGKONG	Manufacturer:	JinTek Photovoltaic Technology CO,.LTD
Address:	Unit 1002, 10/F, Perfe Building, 20 Austin Re Tsui, Kowloon, Hong	oad, Tsim Sha	Address:	PHUM PREY SALA, SANGKAT KAKAB TI 2.KHAN POU SENCHEY, PHNOM PENH.
Country:	China		Country:	Cambodia
Party Authoria Report Issuin	zed To Apply Mark: g Office:	Same as Manufacture Intertek Testing Servic	-	ted
Control Numb	per: <u>5018214</u>	Authorized by:	for L. Mat	tthew Snyder, Certification Manager
) us	

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730- 1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]
Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730- 2:2019 Ed.2]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
	Ometalling Oiling Dhatavaltais (DV) Madulas
Product:	Crystalline Silicon Photovoltaic (PV) Modules
Brand Name:	ET Solar, EliTe Solar
Models:	ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB. ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB. ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB. ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB. ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB. ET-M660BH followed by 520, 525, 530, 535, 540, 545, 550, 555 or 560; followed by TW, TB, WW or WB. ET-M772BH followed by 475, 480, 485, 490, 495, 500, 505 or 510; followed by TW, TB, WW, WB. ET-M766BH followed by 470, 475, 480, 485, 490, 495, 500, 505 or 510; followed by BB. ET-M766BH followed by 435, 440, 445, 450, 455, 460 or 465; followed by TW, TB, WW, WB or BB. ET-M778H followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW or WB. ET-M754BH followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 570, 575, 580, 585, 590, 595, 600 or 605; followed by TW, TB, WW, WB or BB.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	ET SOLAR POWER I LIMITED	HONGKONG	Manufacturer:	SHENGTIAN NEW ENERGY VINA CO., LTD
Address:	Unit 1002, 10/F, Perfe Building, 20 Austin Ro Tsui, Kowloon, Hong	oad, Tsim Sha	Address:	Workshop A3-A4, Phu Thai Industrial Park, Phu Thai Town, Kim Thanh District, Hai Duong Province
Country:	China		Country:	Vietnam
Party Authoria Report Issuin	zed To Apply Mark: g Office:	Same as Manufacture Intertek Testing Servic	-	ted
Control Numb	per: <u>5019712</u>	Authorized by:	for L Mat	tthew Snyder, Certification Manager
			Jus	

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730- 1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]
Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730- 2:2019 Ed.2]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
	Ometalling Oiling Dhatavaltais (DV) Madulas
Product:	Crystalline Silicon Photovoltaic (PV) Modules
Brand Name:	ET Solar, EliTe Solar
Models:	ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB. ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB. ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB. ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB. ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB. ET-M660BH followed by 520, 525, 530, 535, 540, 545, 550, 555 or 560; followed by TW, TB, WW or WB. ET-M772BH followed by 475, 480, 485, 490, 495, 500, 505 or 510; followed by TW, TB, WW, WB. ET-M766BH followed by 470, 475, 480, 485, 490, 495, 500, 505 or 510; followed by BB. ET-M766BH followed by 435, 440, 445, 450, 455, 460 or 465; followed by TW, TB, WW, WB or BB. ET-M778H followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW or WB. ET-M754BH followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 570, 575, 580, 585, 590, 595, 600 or 605; followed by TW, TB, WW, WB or BB.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	ET SOLAR POWER LIMITED	HONGKONG	Manufacturer:	IMPERIAL STAR SOLAR (CAMBODIA)CO.,LTD
Address:	Unit 1002, 10/F, Perfe Building, 20 Austin Re Tsui, Kowloon, Hong	oad, Tsim Sha	Address:	16km point of kingdom Highway 41, Kampong Speu
Country:	China		Country:	Cambodia
Report Issuin	-	Same as Manufacture Intertek Testing Servic		ed
Control Numb	ber: <u>5020477</u>	Authorized by:	for L. Mat	thew Snyder, Certification Manager
		Interte	Jus ek	

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730- 1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]
Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730- 2:2019 Ed.2]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
	Ometalling Oiling Dhatavaltais (DV) Madulas
Product:	Crystalline Silicon Photovoltaic (PV) Modules
Brand Name:	ET Solar, EliTe Solar
Models:	ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB. ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB. ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB. ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB. ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB. ET-M660BH followed by 520, 525, 530, 535, 540, 545, 550, 555 or 560; followed by TW, TB, WW or WB. ET-M772BH followed by 475, 480, 485, 490, 495, 500, 505 or 510; followed by TW, TB, WW, WB. ET-M766BH followed by 470, 475, 480, 485, 490, 495, 500, 505 or 510; followed by BB. ET-M766BH followed by 435, 440, 445, 450, 455, 460 or 465; followed by TW, TB, WW, WB or BB. ET-M778H followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW or WB. ET-M754BH followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 570, 575, 580, 585, 590, 595, 600 or 605; followed by TW, TB, WW, WB or BB.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	ET SC LIMIT	DLAR POWER I ED	HONGKONG	Manufacturer:	VINA SOLAR TECHNOLOGY CO LTD
Address:	Buildir	002, 10/F, Perfe ng, 20 Austin Ro Kowloon, Hong	oad, Tsim Sha	Address:	Workshop E12, Lot CN-03, Van Trung Industrial Zone, Van Trung Commune Viet Yen District, Bac Giang Province
Country:	China			Country:	Vietnam
Party Authoria Report Issuin			Same as Manufacture Intertek Testing Servic	-	ted
Control Numb	oer: <u>{</u>	5020499	Authorized by:	for L. Mat	thew Snyder, Certification Mahager
				Jus	

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730- 1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]
Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730- 2:2019 Ed.2]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
	Ometalling Oiling Dhatavaltais (DV) Madulas
Product:	Crystalline Silicon Photovoltaic (PV) Modules
Brand Name:	ET Solar, EliTe Solar
Models:	ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB. ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB. ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB. ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB. ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB. ET-M660BH followed by 520, 525, 530, 535, 540, 545, 550, 555 or 560; followed by TW, TB, WW or WB. ET-M772BH followed by 475, 480, 485, 490, 495, 500, 505 or 510; followed by TW, TB, WW, WB. ET-M766BH followed by 470, 475, 480, 485, 490, 495, 500, 505 or 510; followed by BB. ET-M766BH followed by 435, 440, 445, 450, 455, 460 or 465; followed by TW, TB, WW, WB or BB. ET-M778H followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW or WB. ET-M754BH followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 570, 575, 580, 585, 590, 595, 600 or 605; followed by TW, TB, WW, WB or BB.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	et s Limi	OLAR POWER I TED	HONGKONG	Manufacturer:	Viet Nam Empire Solar Energy Company Limited
Address: Unit 1002, 10/F, Perfect Commer Building, 20 Austin Road, Tsim Sl Tsui, Kowloon, Hong Kong		oad, Tsim Sha	Address:	Gia Le Industrial Park, Dong Xuan Commune, Dong Hung District, Thai Binh Province	
Country:	Chin	а		Country:	Vietnam
Party Authoria Report Issuin		o Apply Mark: ice:	Same as Manufacture Intertek Testing Servic		ted
Control Numb	oer:	5023709	Authorized by:	for L. Mat	thew Snyder, Certification Mahager
			C C C C C C C C C C C C C C C C C C C) us	

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730- 1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]
Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730- 2:2019 Ed.2]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
	Or stalling Oilsen Dhatavaltais (DV) Madulas
Product:	Crystalline Silicon Photovoltaic (PV) Modules
Brand Name:	ET Solar, EliTe Solar
Models:	ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB. ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB. ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB. ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB. ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by BB. ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB. ET-M772BH followed by 520, 525, 530, 535, 540, 545, 550, 555 or 560; followed by TW, TB, WW or WB. ET-M772BH followed by 475, 480, 485, 490, 495, 500, 505 or 510; followed by TW, TB, WW, WB. ET-M766BH followed by 475, 480, 485, 490, 495, 500, 505 or 510; followed by BB. ET-M766BH followed by 435, 440, 445, 450, 455, 460 or 465; followed by TW, TB, WW, WB or BB. ET-M760BH followed by 335, 340, 345, 350, 305 or 510; followed by BB. ET-M778BH followed by 435, 440, 445, 450, 455, 460 or 465; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 570, 575, 580, 585, 590, 595, 600 or 605; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 570, 575, 580, 585, 590, 595, 600 or 605; followed by TW, TB, WW, WB or BB.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	ET SOLAR POWER LIMITED	HONGKONG	Manufacturer:	CRC Solar Cell Joint Stock Company
Address:	Unit 1002, 10/F, Perfe Building, 20 Austin Re Tsui, Kowloon, Hong	oad, Tsim Sha	Address:	Luong Son Industrial Zone, Hoa Son commune, Luong Son District, Hoa Binh Province
Country:	China		Country:	Vietnam
Party Authori Report Issuin	zed To Apply Mark: g Office:	Same as Manufacture Intertek Testing Servic	-	ted
Control Num	ber: <u>5023751</u>	Authorized by:	for L Mot	tthew Snyder, Certification Manager

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730- 1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]
Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730- 2:2019 Ed.2]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
Product:	Crystalline Silicon Photovoltaic (PV) Modules
Brand Name:	ET Solar, EliTe Solar
Models:	ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB. ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB. ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB. ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB. ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB. ET-M672BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 405, 410, 415, 420, 425, 430, 435, 440 or 445; followed by BB. ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB. ET-M660BH followed by 520, 525, 530, 535, 540, 545, 550, 555 or 560; followed by TW, TB, WW or WB. ET-M772BH followed by 515, 520, 525, 530, 535, 540, 545, 550, 555 or 560; followed by BB. ET-M7766BH followed by 475, 480, 485, 490, 495, 500, 505 or 510; followed by BB. ET-M766BH followed by 475, 480, 485, 490, 495, 500, 505 or 510; followed by BB. ET-M766BH followed by 435, 440, 445, 450, 455, 460 or 465; followed by TW, TB, WW, WB. ET-M766BH followed by 335, 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by BB. ET-M778BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by BB. ET-M778BH followed by 570, 575, 580, 585, 590, 595, 600 or 605; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 570, 575, 580, 585, 590, 595, 600 or 605; followed by TW, TB, WW, WB or BB.
1	



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	ET SOLAR POWER	HONGKONG	Manufacturer:	THORNOVA SOLAR VIET NAM COMPANY LIMITED
Address:	Unit 1002, 10/F, Perfe Building, 20 Austin Ro Tsui, Kowloon, Hong	oad, Tsim Sha	Address:	Factory No. 1 and No. 2 Lot (VI) VI-1.2, Road N1 intersects with Road D2, Que Vo II Industrial Park, Ngoc Xa Commune, Que Vo Town, Bac Ninh Province, 16823
Country:	China		Country:	Vietnam
Party Authorized To Apply Mark: Report Issuing Office:		Same as Manufacturer Intertek Testing Services Shanghai Limited		
Control Numb	per: <u>5026834</u>	Authorized by:	for L Mat	tthew Snyder, Certification Manager

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730- 1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]
Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730- 2:2019 Ed.2]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
	Ometalling Oiling Dhatavaltais (DV) Madulas
Product:	Crystalline Silicon Photovoltaic (PV) Modules
Brand Name:	ET Solar, EliTe Solar
Models:	ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB. ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB. ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB. ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB. ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB. ET-M660BH followed by 520, 525, 530, 535, 540, 545, 550, 555 or 560; followed by TW, TB, WW or WB. ET-M772BH followed by 475, 480, 485, 490, 495, 500, 505 or 510; followed by TW, TB, WW, WB. ET-M766BH followed by 470, 475, 480, 485, 490, 495, 500, 505 or 510; followed by BB. ET-M766BH followed by 435, 440, 445, 450, 455, 460 or 465; followed by TW, TB, WW, WB or BB. ET-M778H followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW or WB. ET-M754BH followed by 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 385, 390, 395 or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 570, 575, 580, 585, 590, 595, 600 or 605; followed by TW, TB, WW, WB or BB.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	ET SOLAR POWER LIMITED	HONGKONG	Manufacturer:	PT APOLLO SOLAR INDONESIA
Address:	Unit 1002, 10/F, Perfe Building, 20 Austin Re Tsui, Kowloon, Hong	oad, Tsim Sha	Address:	Jalan Wiraraja Industrial Estate Building Blok B No. 7-8, Kel. Kabil, Kec. Nongsa, Kota Batam, Kepulauan Riau
Country:	China		Country:	Indonesia
Party Authoria Report Issuin	zed To Apply Mark: g Office:	Same as Manufacture Intertek Testing Servic	-	ted
Control Numb	per: <u>5027053</u>	_ Authorized by:	for L. Mat	tthew Snyder, Certification Manager
			us ek	

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730- 1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]
Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730- 2:2019 Ed.2]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]
Product:	Crystalline Silicon Photovoltaic (PV) Modules
Brand Name:	ET Solar, EliTe Solar
Models:	ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB. ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB. ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB. ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB. ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or WB. ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M660BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440 or 445; followed by BB. ET-M672BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB. ET-M660BH followed by 320, 325, 530, 535, 540, 545, 550, 555 or 560; followed by TW, TB, WW or WB. ET-M772BH followed by 520, 525, 530, 535, 540, 545, 550, 555 or 560; followed by BB. ET-M772BH followed by 475, 480, 485, 490, 495, 500, 505 or 510; followed by BB. ET-M766BH followed by 470, 475, 480, 485, 490, 495, 500, 505 or 510; followed by BB. ET-M766BH followed by 435, 440, 445, 450, 455, 460 or 465; followed by TW, TB, WW, WB or BB. ET-M764BH followed by 385, 390, 395, 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 385, 390, 395, or 400, 405, 410, 415 or 420; followed by TW, TB, WW, WB or BB. ET-M754BH followed by 570, 575, 580, 585, 590, 595, 600 or 605; followed by TW, TB, WW, WB or BB. ET-M778BH followed by 570, 575, 580, 585, 590, 595, 600 or 605; followed by TW, TB, WW, WB or BB.
1	