

RosslareBio™ 8000 Series Networked Biometric Terminals



AY-B85x0

AY-B86x0

AY-B87x0

DR-B8000

Fingerprint

RFID Card

■ Key Features

- Description of models:
 - AY-B85x0 – 7000 templates, indoor operation
 - AY-B86x0 – 7000 templates, IP65, anti-vandal (IK10)
 - AY-B87x0 – 3000 templates, P.o.E, IP65
- Dual factor authentication for higher security – FP, card, FP+card, FP+FP, card+card
- Supports TCP/IP, RS-485 and Wiegand 26-Bit output
- Built-in EM* (125 kHz) or MIFARE (13.56 MHz) reader

■ Ease of Use and Implementation

- Seamless integration with AxTraxNG™ V27.6.x.x. and above – Template Enrollment, biometric network status, template capacity usage, template distribution to readers, and more
- Standalone management software for third-party integration

■ Applications

Access control, Time and Attendance, digital lockers, and more

■ Order Models

AY-B8520 – EM
 AY-B8550 – MIFARE
 AY-B8620 – EM
 AY-B8650 – MIFARE
 AY-B8720 – EM
 AY-B8750 – MIFARE
 DR-U8000 – Enrollment Station
 Terminals come with configuration cards for standalone operation mode

■ Certifications

FCC Part 15b certified
 CE (RED) certified

Latin America & Caribbean
 e-mail: sales.la@rosslaresecurity.com
www.rosslaresecurity.com

RosslareBio™ 8000 Series Networked Biometric Terminals



AY-B85x0

AY-B86x0

AY-B87x0

DR-B8000

Fingerprint

RFID-Card

■ Key Features

- Description of models:
 - AY-B85x0 – 7000 templates, indoor operation
 - AY-B86x0 – 7000 templates, IP65, anti-vandal (IK10)
 - AY-B87x0 – 3000 templates, P.o.E, IP65
- Dual factor authentication for higher security – FP, card, FP+card, FP+FP, card+card
- Supports TCP/IP, RS-485 and Wiegand 26-Bit output
- Built-in EM* (125 kHz) or MIFARE (13.56 MHz) reader

■ Ease of Use and Implementation

- Seamless integration with AxTraxNG™ V27.6.x.x. and above – Template Enrollment, biometric network status, template capacity usage, template distribution to readers, and more
- Standalone management software for third-party integration

■ Applications

Access control, Time and Attendance, digital lockers, and more

■ Order Models

AY-B8520 – EM
 AY-B8550 – MIFARE
 AY-B8620 – EM
 AY-B8650 – MIFARE
 AY-B8720 – EM
 AY-B8750 – MIFARE
 DR-U8000 – Enrollment Station
 Terminals come with configuration cards for standalone operation mode

■ Certifications

FCC Part 15b certified
 CE (RED) certified

Latin America & Caribbean
 e-mail: sales.la@rosslaresecurity.com
www.rosslaresecurity.com

RosslareBio™ 8000 Series Networked Biometric Terminals



AY-B85x0

AY-B86x0

AY-B87x0

DR-B8000

Fingerprint

RFID-Card

■ Key Features

- Description of models:
 - AY-B85x0 – 7000 templates, indoor operation
 - AY-B86x0 – 7000 templates, IP65, anti-vandal (IK10)
 - AY-B87x0 – 3000 templates, P.o.E, IP65
- Dual factor authentication for higher security – FP, card, FP+card, FP+FP, card+card
- Supports TCP/IP, RS-485 and Wiegand 26-Bit output
- Built-in EM* (125 kHz) or MIFARE (13.56 MHz) reader

■ Ease of Use and Implementation

- Seamless integration with AxTraxNG™ V27.6.x.x. and above – Template Enrollment, biometric network status, template capacity usage, template distribution to readers, and more
- Standalone management software for third-party integration

■ Applications

Access control, Time and Attendance, digital lockers, and more

■ Order Models

AY-B8520 – EM
AY-B8550 – MIFARE
AY-B8620 – EM
AY-B8650 – MIFARE
AY-B8720 – EM
AY-B8750 – MIFARE
DR-U8000 – Enrollment Station
Terminals come with configuration cards for standalone operation mode

■ Certifications

FCC Part 15b certified
CE (RED) certified

Latin America & Caribbean
e-mail: sales.la@rosslaresecurity.com
www.rosslaresecurity.com

RosslareBio™ 8000 Series Networked Biometric Terminals



AY-B85x0

AY-B86x0

AY-B87x0

DR-B8000

Fingerprint

RFID-Card

■ Key Features

- Description of models:
 - AY-B85x0 – 7000 templates, indoor operation
 - AY-B86x0 – 7000 templates, IP65, anti-vandal (IK10)
 - AY-B87x0 – 3000 templates, P.o.E, IP65
- Dual factor authentication for higher security – FP, card, FP+card, FP+FP, card+card
- Supports TCP/IP, RS-485 and Wiegand 26-Bit output
- Built-in EM* (125 kHz) or MIFARE (13.56 MHz) reader

■ Ease of Use and Implementation

- Seamless integration with AxTraxNG™ V27.6.x.x. and above – Template Enrollment, biometric network status, template capacity usage, template distribution to readers, and more
- Standalone management software for third-party integration

■ Applications

Access control, Time and Attendance, digital lockers, and more

■ Order Models

AY-B8520 – EM
AY-B8550 – MIFARE
AY-B8620 – EM
AY-B8650 – MIFARE
AY-B8720 – EM
AY-B8750 – MIFARE
DR-U8000 – Enrollment Station
Terminals come with configuration cards for standalone operation mode

■ Certifications

FCC Part 15b certified
CE (RED) certified

Latin America & Caribbean
e-mail: sales.la@rosslaresecurity.com
www.rosslaresecurity.com

RosslareBio™ 8000 Series Networked Biometric Terminals



AY-B85x0

AY-B86x0

AY-B87x0

DR-B8000

Fingerprint

RFID Card

■ Key Features

- Description of models:
 - AY-B85x0 – 7000 templates, indoor operation
 - AY-B86x0 – 7000 templates, IP65, anti-vandal (IK10)
 - AY-B87x0 – 3000 templates, P.o.E, IP65
- Dual factor authentication for higher security – FP, card, FP+card, FP+FP, card+card
- Supports TCP/IP, RS-485 and Wiegand 26-Bit output
- Built-in EM* (125 kHz) or MIFARE (13.56 MHz) reader

■ Ease of Use and Implementation

- Seamless integration with AxTraxNG™ V27.6.x.x. and above – Template Enrollment, biometric network status, template capacity usage, template distribution to readers, and more
- Standalone management software for third-party integration

■ Applications

Access control, Time and Attendance, digital lockers, and more

■ Order Models

AY-B8520 – EM
 AY-B8550 – MIFARE
 AY-B8620 – EM
 AY-B8650 – MIFARE
 AY-B8720 – EM
 AY-B8750 – MIFARE
 DR-U8000 – Enrollment Station
 Terminals come with configuration cards for standalone operation mode

■ Certifications

FCC Part 15b certified
 CE (RED) certified