

HikCentral FocSign

HikCentral FocSign is a lightweight platform with multiple functions, featuring diverse predefined program templates, abundant material types, flexible layout design, as well as the combination with intelligent cameras. It can satisfy the needs of a variety of scenarios, such as commercial advertising, employee attendance, and so on. The central management and remote maintenance functions of the platform can greatly improve operational efficiency and reduce labor costs.

Features

Digital Signage

- Supports uploading local materials, including the picture, video, audio, document, webpage, APP, etc.
- Supports creating dynamic materials, including stream media server, network camera, URL picture, etc.
- Supports uploading up to 10,000 materials. The size of each material cannot exceed 4 GB.
- Supports editing and viewing programs.
- Supports creating digital signage programs, video wall programs, attendance programs, and people counting programs.
- Supports managing up to 2,000 programs.
- Supports creating a schedule by date, by week, or customizing a schedule. Supports creating a loop schedule. Supports creating a default schedule.
- Supports managing up to 1,000 schedules.
- Supports cutting in a program, releasing a program schedule, and viewing release records.
- Supports managing up to 20,000 release records.
- Supports configuring video walls. The maximum dimension of single video wall is 1 × 10 or 10 × 1.
- Supports managing up to 512 video walls.

Storage Server

- Supports adding pStor servers to the platform.
- Supports storing materials, alarm pictures, and screenshots of terminals to the pStor server.

Person

- Supports adding person groups.
- Supports adding persons one by one or batch importing persons.
- Supports managing up to 50,000 persons.
- Supports person self-registration.
- Supports adding access levels and assigning access levels to persons.
- Supports applying access level settings to devices and clearing access level settings.

Attendance

- Supports adding different attendance rules to meet with different application scenarios, such as normal shift and man-hour shift.
- Supports customizing overtime levels and setting work hour rate for each overtime level.
- Supports configuring the shift, shift schedule, and timetable according to actual needs.
- Supports generating and selecting multiple types of attendance reports.



Interactive Flat Panel

- Supports remotely managing interactive flat panels, including remotely shutting down, rebooting, timed startup/shutdown, setting the screen saver password, restoring to factory settings, etc.
- Supports remotely viewing the running status of interactive flat panels.
- Supports managing applications and batch applying applications to interactive flat panels.
- Supports batch applying text messages to interactive flat panels.


Specification

Module		Capability
Device	Digital Signage Terminals	1,024
	Interactive Flat Panels	1,024
Digital Signage	Materials	10,000
	Programs	2,000
	Schedules	1,000
	Release Records	20,000
	Video Walls	512
Person	Face Pictures	50,000
	Access Levels	512
Attendance	Persons	10,000
	Shifts	128
	Major Leave Types	64
	Minor Leave Types	128
Application for Interactive Flat Panel	Applications	1,000
	Applications Uploaded for One Time	100

System Requirement

Items	Requirements
Operating System	Microsoft® Windows 7 SP1 (64-bit) Microsoft® Windows 8.1 (64-bit) Microsoft® Windows 10 (64-bit) Microsoft® Windows Server 2008 R2 SP1 (64-bit) Microsoft® Windows Server 2012 (64-bit) Microsoft® Windows Server 2012 R2 (64-bit) Microsoft® Windows Server 2016 (64-bit) Microsoft® Windows Server 2019 (64-bit) *For Windows 8.1 and Windows Server 2012 R2, make sure it is updated to KB2919355 in April, 2014.
CPU	Intel® Core™ i5-4590 @ 3.30 GHz and above
RAM	8 GB and above
NIC	GbE Network Interface Card
Graphics	NVIDIA® GeForce GTX 950 and above
HDD	512 GB and above
Browser	Internet Explorer 11 Chrome, Firefox, Safari (Versions released in the latest half-year)

Typical Application



Distributed by

**HIKVISION®****Headquarters**

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Australia
T +61-2-8599-4233
salesau@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Canada
T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Thailand
T +662-275-9949
sales.thailand@hikvision.com

Hikvision Europe
T +31-23-5542770
sales.eu@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Turkey
T +90 (216)521 7070- 7074
sales.tr@hikvision.com

Hikvision Malaysia
T +601-7652-2413
sales.my@hikvision.com

Hikvision UK & Ireland
T +01628-902140
sales.uk@hikvision.com

Hikvision South Africa
Tel: +27 (10) 0351172
sale.africa@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Kazakhstan
T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Vietnam
T +84-974270888
sales.vt@hikvision.com

Hikvision UAE
T +971-4-4432090
salesme@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Tashkent
T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Hong Kong
T +852-2151-1761
info.hk@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Korea
T +82-(0)31-731-8817
sales.korea@hikvision.com

Hikvision Poland
T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Indonesia
T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Colombia
sales.colombia@hikvision.com