


LADDER RACK SYSTEM



INDUSTRY STANDARDS

Painted and Plated Straight Sections:

90 G90YW 'PEWWM¼IH JSV)UYMTQIRX +V

Curved Sections and Splice Kits:

90 G90YW 'PEWWM¼IH JSV)UYMTQIRX +VSFEATURESRK *MPI 2S)

cULus Bonding & Grounding

- PEHHIV VEGO WIGXMSRW **cULus Load Testing**
- · OSEH GETEGMX] TIV < '7%' 2 S 7 I G X M S R

APPLICATION

8LI OEHHIV 6EGO 7]WXIQ GSRZIRMIRXP] VSYXIW STEXTHELX LYSYK LEYRYWITH WITEGISR XLI 128SV [ESONTHINEK GEFPPW LEGGWWW MPPIJSV IEW] QEMRXIF SJ WXVEMKLX ERH GYVZIH WIGXMSRW EVI LMKLF EGGSQQSHEXIZMVXYEPP] ER] VSSQ PE]SYX

- · 7IGXMSR GVSWW QIQFIVW [IPHIH SR 'PEWWM¼IH EW WYMXEFPI JSV ER IUYMTQI%QGWYYRYH EBRYWXXEFPI GVSWW QIQFIVW '7%' 2S 7IGXMSR OSEH (INXXXXYW)MFMBBQWXXW ERH NYRGXMSR W™PMGI O 8[S KVSYRHMRK NYQTIV OMXW V|UYMVIH T) QEGSWIPPMWIFOMWIFOMWY SHY FEMKKHHH

SPECIFICATIONS

WYTTSVX PIRKXLW MXVEMKLPX ERWHEGIXYZIHGWBGXXMSRW QEH SJ. 7 IGXMSRW EZEMPEFPI MR ERH) PIGXVMGEPES XX MRQ Q X M MHW X W · 7 XIIP GSRRIGXMRK ERH QSYRXMRK LEVH[EVI

FINISH

%ZEMPEFPI MR JSYV ¼RMWLIW

- %27- KVE] TSP]|WX|V TS[H|V TEMRX 6%0 FPEGO TSP]|WX|V TS[H|V TEMRX ;LMX| TS[H|V TEMRX . 6%0
- 4PEXIH

ACCESSORIES

8SYGL YT 4EMRX





LADDER RACK STRAIGHT SECTIONS



cULus Classified

7YTTSVXW GEFPI SR WXVEMKLX VYRW 1EHI SJ MR \ MR QQ \ 5. EHISJ MR \ MR QQ \ 5.75
QQ KEYKI XYFYPEV WXIIP [MXL 146 mm
TEMRXIH SV TPEXIH 1/4 RMWL 2SQMREP MRWXEPPIH PIRKXL MW JΧ)EGL WIGXMSR MW JX 375 X 1.50 Q PSRK [MXL GVSWW QIQFIVW [IPHIH EX MR QQ MRXIVZEPW 10 mm 38 mm TUBULAR 1.00 50 x **BULLETIN: DCR** 13 mm 25 mm TUBULAR 87561760

Catalog Number	Finish	W (in.)	W (mm)
LSS6G	Gray	6.00	152
LSS6BLK	Black	6.00	152
LSS6GZ	Plated	6.00	152
LSS6W	White	6.00	152
LSS12G	Gray	12.00	305
LSS12BLK	Black	12.00	305
LSS12GZ	Plated	12.00	305
LSS12W	White	12.00	305
LSS15W	White	15.00	381
LSS15BLK	Black	15.00	381
LSS18G	Gray	18.00	457
LSS18BLK	Black	18.00	457
LSS18W	White	18.00	457
LSS18GZ	Plated	18.00	457
LSS24BLK	Black	24.00	610
LSS24W	White	24.00	610

BUTT-SPLICE KIT



cULus Classified

LBSKG Gray .SMRW WXVEMKLX PEHFLBSKB MRWMHI ERH SYXWMHI LBSK Black Plated HIKVII LSVM^SRXEP ILBSKW White

OMX GSRRIGXW SRI WIGXMSR XS ERSXLIV -RGPYHIW QSYRXMRK LEVH[EVI

BULLETIN: DCR



ADJUSTABLE BUTT-SPLICE KIT




cULus Classified

4 V S Z M H I W E G L E R K I M R LABSKG H M V I G X M S R S J X L I G E F LABSK G E R F I E H N Y W X I H X S E LABSKW X S H I K V I I W 1 E H I S J W X I I P [M X L Gray Black 2 Plated 2 White

E TEMRXIH SV TPEXIH ¼RMWL)EGL OMX GSRRIGXW SRI PEHHIV VEGO WIGXN SR XS ERSXLIV -RGPYHIW QSYRXMRK LEVH[EVI

BULLETIN: DCR



87561765



LADDER RACK CURVED SECTIONS

cULus Classified





BULLETIN: DCR

Catalog Number	Finish	Vertical Bend Type	W (in.)	W (mm)
LIB6G	Gray	Inside	6.00	152
LIB6BLK	Black	Inside	6.00	152
LIB6GZ	Plated	Inside	6.00	152
LIB6W	White	Inside	6.00	152
LIB12G	Gray	Inside	12.00	305
LIB12BLK	Black	Inside	12.00	305
LIB12GZ	Plated	Inside	12.00	305
LIB12W	White	Inside	12.00	305
LIB15BLK	Black	Inside	15.00	381
LIB15W	White	Inside	15.00	381
LIB18G	Gray	Inside	18.00	457
LIB18BLK	Black	Inside	18.00	457
LIB18W	White	Inside	18.00	457
LIB18GZ	Plated	Inside	18.00	457
LIB24BLK	Black	Inside	24.00	610
LIB24W	White	Inside	24.00	610
LOB6G	Gray	Outside	6.00	152
LOB6BLK	Black	Outside	6.00	152
LOB6GZ	Plated	Outside	6.00	152
LOB6W	White	Outside	6.00	152
LOB12G	Gray	Outside	12.00	305
LOB12BLK	Black	Outside	12.00	305
LOB12GZ	Plated	Outside	12.00	305
LOB12W	White	Outside	12.00	305
LOB15BLK	Black	Outside	15.00	381
LOB15W	White	Outside	15.00	381
LOB18G	Gray	Outside	18.00	457
LOB18BLK	Black	Outside	18.00	457
LOB18GZ	Plated	Outside	18.00	457
LOB18W	White	Outside	18.00	457
LOB24BLK	Black	Outside	24.00	610
LOB24W	White	Outside	24.00	610

90-DEGREE HORIZONTAL E-BEND SECTION

cULus Classified



4VSZMHIE HIKVII LSVM^SRXEP
GLERKI MR GEFPI VYR[E] HMVIGXMSR
1EHI SJ MR \ MR QQ \
QQ XYFYPEV WXIIP [MXL E TEMRXIHW
SV TPEXIH %RMWL 'SRRIGX XS WXVEMKLX
WIGXMSRW [MXL FYXX WTPMGI OMXW
(IWMKRIH JSV GEXIKSV] I % ER \$\\\ 7561762 \)
%FIV STXMG GEFPI

BULLETIN: DCR

Catalog Number	Finish	W (in.)	W (mm)	
L90HB12G	Gray	12.00	305	
L90HB12BLK	Black	12.00	305	
L90HB12GZ	Plated	12.00	305	
L90HB12W	White	12.00	305	
L90HB15BLK	Black	15.00	381	
L90HB15W	White	15.00	381	
L90HB18G	Gray	18.00	457	
L90HB18BLK	Black	18.00	457	
L90HB18GZ	Plated	18.00	457	
L90HB18W	White	18.00	457	
L90HB24BLK	Black	24.00	610	
LQDHR24W	White	24.00	610	




JUNCTION SPLICE KIT



cULus Classified

Kit Qty. SRRIGXW X[S WXVEMKLLJSKG LJSKB WIGXMSRW EX E HIK LJSKG Grav 2 Black 2 Plated 2 SJ WXIIP [MXL E TEMRX LJSKW White 1/4 RMWL) EGL OMX GSRRIGX W SRI WIGXMSR XS ERSXLIV - RGPYHIW QSYRXMRK

LEVH[EVI **BULLETIN: DCR**



ADJUSTABLE JUNCTION SPLICE KIT



cULus Classified

LAJSKG 'SRRIGXW X[S PEHHIV LAJSKG Gray Black EX ER] NYRGXMSR ERK FLAJSK Platec [MXL E TEMRXIH SV TPELAJSKW White OMX GSRRIGXW SRI WIGXMSR XS ERSXLIV Gray 2 Plated 2

-RGPYHIW QSYRXMRK LEVH[EVI

BULLETIN: DCR



87561767

87561768

RETAINING POST KIT




4 V S Z M H I W I \ X V E P E H H I V V F G O G F T F G M X I 1 S Y R X W S R X S V E G O W N Catalog Number Finish 4 S W X M W Y R X L V I E H I H LRPB Black / M X G S Q T S R I R X W E V I T LRPW White - R G P Y H I W T S W X G E T E R H Q S Y K X M K K LEVH[EVI 7.00 **BULLETIN: DCR** 178 mm

L-BRACKET KIT



8LI 0 & VEGOIX / MX WYTTS VX W TS II V SV SXLIV GEFPIW XLEX Catalog Number LLBG WITE VEXIH JVSQ XLI QE LLBB Kit Qty. Gray Black TEHI SJ WXIIP [MXL E TLLB
TPEXIH ¼RMWL 1SYRX\LLBW
VEGO WXVMRKIV -RGPYHIW QSYRXMRK Plated LEVH[EVI **BULLETIN: DCR** 31




Cable





1 SYRXW SZIV PEHHIV VEGO GVSWW QIQFIV XS TVSZMHI FIR [LIR HVSTTMRK GEFPI GEFPI WTSSPW XS WITELRD6G Gr EPP QSYRXMRK LEVH[E I\XVYHIH EPYQMRYQ

BULLETIN: DCR



١			Runway	Runway	Kit
	Catalog Number	Finish	Width (in.)	Width(mm)	Qty.
Ė	LRD6G	Gray	6.00	152	1
,	LRD6BLK	Black	6.00	152	1
	LRD6W	White	6.00	152	1
	LRD12G	Gray	12.00	305	1
	LRD12BLK	Black	12.00	305	1
	LRD12W	White	12.00	305	1
	LRD15BLK	Black	15.00	381	1
	LRD15W	White	15.00	381	1
	LRD18G	Gray	18.00	457	1
	LRD18BLK	Black	18.00	457	1
	LRD18W	White	18.00	457	1
	LRD24BLK	Black	24.00	610	1
	LRD24W	White	24.00	610	1


Cable

STRINGER RADIUS DROP KIT



1SYRXW SZIV PEHHIV VEGO WXVMRKIV XS TVSZMHI FIRHMRK V Catalog Number HVSTTMRK GEFPI -RGP LSRDBLK WTSSPW XS WITEVEXI CLSRDW EPP QSYRXMRK LEVH[EVI 1EHI SJ Gray Black White I\XVYHIH EPYQMRYQ

BULLETIN: DCR





FOOT KIT



7 IGYVIW PEHHIV VEGO XS ½SSV GIMPMRK SV [EPP 1EHI TEMRXIH SV TPEXIH ¼RMWL 3RI OMX WIGYVIW SRI PEHHIV 6 IUYMVIW WYVJEGI QSYRXMRK LEVH[EVI RSX MRGPYHIH

BULLETIN: DCR







CEILING SUPPORT KIT




7YTTSVXW PEHHIV VEGO JVSQ G!MPMRK
'SQTSRIRXW EZEMPEFPI WITEVEXIPPQ(2)
SV EW E OMX 7M\ JSSX PSRK. MRM
HMEQIXIV VSH MW XLVIEHIH JSW MEWYEBK
XIRWMSR EHNYWXQIRX 1EHI SJEPEXIH
WXIIP 6IUYMVIW WYVJEGI QSYRXMRK
LEVH[EVI RSX MRGPYHIH

LRWBK

87561772

BULLETIN: DCR




			Kit
Catalog Number	Finish	Description	Qty.
LCK	Plated	Kit includes one each: - LTR Threaded Rod - 5/8-in. nuts (4) - LRWBK Rack Runway Bracket - LCBK Ceiling Bracket	1
LTR	Plated	5/8-in. x 6-ft. Threaded Rod	1
LRWBK	Plated	Rack Runway Brackets (10) 5/8-in. nuts (20)	1
LRWBKB	Black	Rack Runway Brackets (10) 5/8-in. nuts (20)	1
LRWBKW	White	Rack Runway Brackets (10) 5/8-in. nuts (20)	1
LCBK	Plated	Ceiling Brackets (10) 5/8-in nuts (20)	1
LCBKB	Black	Ceiling Brackets (10) 5/8-in nuts (20)	1
LCBKW	White	Ceiling Brackets (10) 5/8-in nuts (20)	1
LRWSBK	Plated	Rack-to-Runway Brackets (10) Slip-On 5/8 in. nuts (20)	1
LRWSBKB	Black	Rack-to-Runway Brackets (20) Slip-On 5/8 in. nuts (40)	1
LRWSBKW	White	Rack-to-Runway Brackets (20) Slip-On 5/8 in. nuts (40)	1

RACK-TO-RUNWAY MOUNTING PLATE KIT



7 IGYVIW PEHHIV VEGO XS XII XST IUYMTQIRX VEGOW 1EH Catalog Number INTERPRETATION OF THE LIRRING TEVERPIE SV TIVTIRHM LIRRINGEZ - RGPYHIW QSYRXMRK LLRRMPW

BULLETIN: DCR



87561774

Catalog Number	Width	Finish	Kit Qty.	
└ LRRMPG	6, 12	Gray	1	
S LRRMPBLK	6, 12	Black	1	
√ LRRMPGZ	6, 12	Plated	1	
L LRRMPW	6, 12	White	1	
LRRMPW15	12,15	White	1	
LRRMPBLK15	12,15	Black	1	
LRRMPG18	12,18	Gray	1	
LRRMPBLK18	12, 18	Black	1	
LRRMPGZ18	12, 18	Plated	1	
LRRMPW18	12, 18	White	1	
LRRMPBLK24	18, 24	Black	1	
LRRMPW24	18, 24	White	1	

nVent.com/HOFFMAN 4, Spec-00069 W NETWORKING 6






71GYVIW PEHHIV VEGO WIGXMSR XS [EPP SV SXLIV ½ EX WYVJEG WXIIP [MXL E TEMRXIH SV TPEXIH ¼ RMWL 6IUYMVIW WYVJEGLOS LEVH[EVI RSX MRGPYHIH

BULLETIN: DCR


Catalog Number	Finish	Kit Qty.
LVWBG	Gray	2
LVWBB	Black	2
LVWB	Plated	2
LVWW	White	2



TRIANGLE SUPPORT BRACKET KIT



		Fits Cable		
Catalog Number	Finish	Runway	Kit Qty.	Configuration
LTSB12G	Gray	6, 12	1	A
LTSB12BLK	Black	6, 12	1	A
LTSB12GZ	Plated	6, 12	1	A
LTSB12W	White	6, 12	1	A
LTSB181524W	White	15, 18, 24	1	A
LTSB151824BLK	Black	15, 18, 24	1	A
LTSB18G	Gray	12, 18	1	В
LTSB18BLK	Black	12, 18	1	В
LTSB18GZ	Plated	12, 18	1	В
LTSB24BLK	Black	12, 18, 24	1	A



BULLETIN: DCR



MODULAR TRIANGLE SUPPORT BRACKET KIT



71GYVIW ERH WYTTSVXW PEHHIV VEGO XS [EPP (IWMKR JIEXYVIW XLVII FVEGOIX WYTTSVX EVQW XLEX IEWMP] EXXEGL XS IEGL SXLIV [MXL UYMGO VIPIEWI TMRW ERH JSPH HS[R XS IEWI EWWIQFP])EGL QSHIP EGGSQSHEXIW X[S PEHHIV VEGO [MHXLW /MX MRGPYHIW IS R I QSHYPEV FVEĠOIX EWWIQFP] XLVII UYMGO VIPIEWI TMRW ERH X[S . FS [MXL [EWLIVW ERH RYXW &VEGOIX FSF QEHI SJ TEMRXIH WXIIP [MXL TPEXIH LEVH[EVI **BULLETIN: DCR** Ø.38 (TYP) 87929364

		Fits Cable		
Catalog Number	Finish	Runway	Kit Qty.	
LMTSB12B	Black	6, 12	1	
LMTSB12W	White	6, 12	1	
LMTSB18B	Black	12, 18	1	
LMTSB18W	White	12, 18	1	
LMTSB24B	Black	18, 24	1	
LMTSB24W	White	18, 24	1	

WALL ANGLE SUPPORT



LWASK24W

7YTTSVXW PEHHIV VEGO JVSQ [EPP SV SXLIV ½EX WYVJEGI 1EHI SJ MR \ MR KEYKI WXIIP ERKPI MXL TEMRXIH SV TPEXIH %RMWL -RGPYHIW . FSPXW RYXW ERH WGVI[W

BULLETIN: DCR

		L	R	S	
Catalog Number	Finish	in./mm	in./mm	in./mm	Kit Qty.
LWASK6G	Gray	8.00	6.00	6.38	1
		203	152	162	
LWASK6BLK	Black	8.00	6.00	6.38	1
		203	152	162	
LWASK6GZ	Plated	8.00	6.00	6.38	1
		203	152	162	
LWASK12G	Gray	14.00	12.00	12.38	1
		356	305	314	
LWASK12BLK	Black	14.00	12.00	12.38	1
		356	305	314	
LWASK12GZ	Plated	14.00	12.00	12.38	1
		356	305	314	
LWASK12W	White	14.00	12.00	12.38	1
		356	305	314	
LWASK15W	Whtie	17.00	15.00	15.38	1
		432	381	391	
LWASK15BLK	Black	17.00	15.00	15.38	1
		432	381	391	
LWASK18G	Gray	20.00	18.00	18.38	1
		508	457	467	
LWASK18BLK	Black	20.00	18.00	18.38	1
		508	457	467	
LWASK18GZ	Plated	20.00	18.00	18.38	1
		508	457	467	
LWASK18W	White	20.00	18.00	18.38	1
		508	457	467	
LWASK24BLK	Black	26.00	24.00	24.38	1
		660	610	619	

87561777

24.38

619

nVent.com/HOFFMAN **NETWORKING** Spec-00069 W

24.00

610

26.00

660

White




CORNER SUPPORT BRACKET KIT



4VSZMHIW EHHMXMSREP HIKVII PEHHIV VEGO 1EHI SJ WXIIP [MXL E T TPEXIH ¼RMWL

BULLETIN: DCR

: [P WYTTSVX JSV		
7	Catalog Number	Kit Qty.	Finish
_	LCSKG	1	Gray
1	LCSKB	1	Black
	LCSK	1	Plated
	LCSKW	1	White




END CAP KIT



4 V S Z M H I W T V S X I G X M Z I G S Z I V M R K I R H W S J P E H H I V V E G O Z M R] P

BULLETIN: DCR



87561779


RUNWAY TERMINATION KIT



4 V S Z M H I W E W S P M H X I V O M R E X M S R [I I R X L I P E W X W I G X M S R S J E [E] J V S Q E [E P P 1 E H I LRTK12G Gray E T E M R X I H S V T P E X I H ½ LRTK12B Black

BULLETIN: DCR

BULLETIN: DCR



			Fits Cable	
	Catalog Number	Finish	Runway	Kit Qty.
	LRTK12G	Gray	12	1
'/	LRTK12B	Black	12	1
	LRTK12	Plated	12	1
	LRTK12W	White	12	1
	LRTK18G	Gray	18	1
	LRTK18B	Black	18	1
	LRTK18	Plated	18	1
	LRTK18W	White	18	1
	LRTK24B	Black	24	1
	LRTK24W	White	24	1

MOVABLE CROSS MEMBER



 TYTTSVXW
 GEFPI EX HVST PSGFXMSRW

 FIX[IIR [IPHIH GVSWW
 Catalog Number
 Finish

 1EHI SJ WXIIP [MXL E T
 LMCM12G
 Gray

 TPEXIH ½RMWL - RGPYH LMCM12BLK
 Black

 JSV WIGYVI QSYRXMRK
 LMCM126Z
 Plated


 WXVMRKIVW
 LMCM12W
 White

87561763

<u> </u>	IVI 33 IN VV			
				Kit
Catalog Number	Finish	W (in.)	W (mm)	Qty.
LMCM12G	Gray	12.00	305	1
LMCM12BLK	Black	12.00	305	1
LMCM12GZ	Plated	12.00	305	1
LMCM12W	White	12.00	305	1
LMCM18G	Gray	18.00	457	1
LMCM18BLK	Black	18.00	457	1
LMCM18GZ	Plated	18.00	457	1
LMCM18W	White	18.00	457	1
LMCM24BLK	Black	24.00	610	1
LMCM24W	White	24.00	610	1



RACK-TO-WALL KIT



- R G P Y H I W S R I W I G X M S R C I W X V F M K I X
P E H H I V V E G O E R H I Z I V I
X S J E W X I R X L I P E H H I V S T I R J V E G O E R H S O E R H S O E H H I V M W M R (LARM PBLK Rackto-Runway Mounting Kit LRRMPBLK Rackto-Runway Mounting Kit LRRMPBLK Rackto-Runway Mounting Kit LECEND TE M R X I H 1 % R M * Ladder Rack is cULus Classified
J V E G O W I T E V E X I P I

BULLETIN: DOFR2

RUNWAY ELEVATION KIT



)PIZEXIW PEHHIV VEGO SV MR SV QQ EFSZI VEGO XS PEHHIV QSYRXMRK TPEXI 9WI SR ER] [MH994ight PEHHIV VEGO /MX MRGPYHIW X[SSection] FVEGOIXW ERH EPP QSYRXMRK LEVHI 1EHI SJ LIEZ] TPEXIH WXIIP

BULLETIN: DCR

	Rack-to-Runway Mounting Plate Kit (Order Separately) 87929372	Open Frame Rack
	Finish	Kit Qty.
	Plated	1
[Black	1
1	White	1

LEK3 3.00 76 Plated 1 LEK3B 3.00 76 Black 1 LEK3W 3.00 76 White 1 LEK6 6.00 152 Plated 1 LEK6B 6.00 152 Black 1 LEK6W 6.00 152 White 1 LEK12 12.00 305 Plated 1 LEK12B 12.00 305 Black 1 LEK12W 12.00 305 White 1	Catalog Number	A (In.)	A (MM)	Finish	Kit Qty.	
LEK3W 3.00 76 White 1 LEK6 6.00 152 Plated 1 LEK6B 6.00 152 Black 1 LEK6W 6.00 152 White 1 LEK12 12.00 305 Plated 1 LEK12B 12.00 305 Black 1	LEK3	3.00	76	Plated	1	
LEK6 6.00 152 Plated 1 LEK6B 6.00 152 Black 1 LEK6W 6.00 152 White 1 LEK12 12.00 305 Plated 1 LEK12B 12.00 305 Black 1	LEK3B	3.00	76	Black	1	
LEK6B 6.00 152 Black 1 LEK6W 6.00 152 White 1 LEK12 12.00 305 Plated 1 LEK12B 12.00 305 Black 1	LEK3W	3.00	76	White	1	
LEK6W 6.00 152 White 1 LEK12 12.00 305 Plated 1 LEK12B 12.00 305 Black 1		6.00	152		1	
LEK12 12.00 305 Plated 1 LEK12B 12.00 305 Black 1		6.00	152	Black	1	
LEK12B 12.00 305 Black 1	LEK6W	6.00	152	White	1	
	LEK12	12.00	305	Plated	1	
LEK12W 12.00 305 White 1					1	
	LEK12W	12.00	305	White	1	

RUNWAY OVERHEAD 12-IN. STACK KIT



BULLETIN: DCR





RUNWAY CENTER SUPPORT KIT




8LVIEHIH VSH ERH FVEGOIX WYT	TSVXW		
GIRXIV SJ PEHHIV VEG		Fits Cable	
	Finish	Runway	Kit Qty.
/MX MRGPYHIW LIEZ] H LCSK6	Plated	6	1
VEGO GVSWW QIQFIV XLCSK12	Plated	12	1
FVEGOIXW X[S W(LCSK18	Plated	18	1
XLVIEHIH VSH TVSXIG XLCSK24	Plated	24	1
ISVV MP PVYW QWISPLOMY	EY DIEWY		

Q 1EHI SJ TPEXIH

steel.

IZIV]

BULLETIN: DCR



87929375


SPOOL DIVIDER KIT



7TSSPW WITEVEXI GEFPIW XS MOTVS/I
GEFPI QEREKIQIRX ERH
Catalog Number Finish
GEFPI XS GEFPI HM WX E
CROSK
GEFPI XS GEFPI HM WX E
ERH FVEGOIX EXXEGL X
VEGO GVSWW QIQFIV ERH GER FI
PSGEXIH ER][LIVI EGVSWW XLI
[MHXL /MX MRGPYHIW XIR MR XEPP
WTSSPW FVEGOIXW ERH EPP RIGIWWEV]
LEVH[EVI 7TSSP QEHI SJ FPEGO
TPEWXMG ERH FVEGOIX QEHI SJ TPEXI

INSULATED GROUND JUMPER KIT







*EWXIRW EGVSWW WTPMGIW XS TVSZMHI			
E WIGYVI KVSYRH FIX [I Catalog Number	Conductor Type	L in./mm	
SJPEHHIV VEGO 1EHI %;+\ WXVERH [MVI [M	#6-7 Stranded	12.00 305	
8,; MRWYPEXMSR ERH X ollus requires 2 kits per spl GSQTVIWWMSR PYKW QSYหมาก รห	lice on all painted ladder sections IEGL		
IRH -RGPYHIW JEWXIRIVW			

BULLETIN: DBG



J-BOLT KIT





CABLERACK



7XERHEVH 4VSHYGX

Catalog Number	AxBxC in./mm	Rack Units	Cable Bend Radius Accessory
E19T6U	12.44 x 20.16 x 11.50	6	ECMBA4
	316 x 512 x 292		

В



BULLETIN: DOFRW