

Zertifikat *Certificate*

Zertifikatsnummer Certificate No.:

PV 50629469 0002

Berichtsnummer Report No.:

CN24ANY 006

Genehmigungsinhaber License Holder:

EliTe Solar Power HongKong Limited
Unit 1002, 10/F,
Perfect Commercial Building,
20 Austin Road Tsim Sha Tsui,
999077 Kowloon, Hong Kong
P.R. China

Fertigungsstätte Manufacturing Site:

040-0002358261

Prüfzeichen Test Mark:

Geprüft nach Tested according to:

IEC 61215-1:2021
IEC 61215-1-1:2021
IEC 61215-2:2021
IEC 61730-1:2023
IEC 61730-2:2023
EN IEC 61215-1:2021
EN IEC 61215-1-1:2021
EN IEC 61215-2:2021
EN IEC 61730-1:2018
EN IEC 61730-2:2018

Geräteidentifikation
Product Identification
Produkt:

PV Module

Product:
Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:

Type designation(s) are listed on the next page(s)

Technische Daten:

Class II acc. to IEC 61140

Technical Data:

For other ratings, refer to the test report

Gültig bis:

2029-03-31


Date of expiry:
Gültig ab:

2024-12-16

Valid from:
Zertifizierungsstelle:
Certification body:

Ausstellungsdatum:

2024-12-16

Date of issue:

Dipl.-Ing. (FH) Tim Kirschner

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50629469 0002

Berichtsnummer *Report No.:*

CN24ANY 006

Produkt *Product:* PV Module

Modell *Type:*

Bezeichnung *Designation:*

Same as Page 0001

In addition:

Max. System Voltage: Up to 1500 VDC (Voc at STC):

With ½ cut mono c-Si cell:

ET-NR66TBHxxxGL

(xxx=595-625, in steps of 5, 132 cells)

ET-NR66TBHxxxGB

(xxx=595-625, in steps of 5, 132 cells)

ET-NR66TBHxxxGLB

(xxx=595-625, in steps of 5, 132 cells)

ET-NR48TBHxxxGL

(xxx=435-455, in steps of 5, 96 cells)

ET-NR48TBHxxxGB

(xxx=435-455, in steps of 5, 96 cells)

ET-NR48TBHxxxGLB

(xxx=435-455, in steps of 5, 96 cells)

ET-NR72TBHxxxGL

(xxx=595-625, in steps of 5, 144 cells)

ET-NR72TBHxxxGB

(xxx=595-625, in steps of 5, 144 cells)

ET-NR72TBHxxxGLB

(xxx=595-625, in steps of 5, 144 cells)

ET-NR54TBHxxxGL

(xxx=445-465, in steps of 5, 108 cells)

ET-NR54TBHxxxGB

(xxx=445-465, in steps of 5, 108 cells)

ET-NR54TBHxxxGLB

(xxx=445-465, in steps of 5, 108 cells)

ET-N866TBHxxxGL

(xxx=685-725, in steps of 5, 132 cells)

ET-N866TBHxxxGB

(xxx=685-725, in steps of 5, 132 cells)

ET-N866TBHxxxGLB

(xxx=685-725, in steps of 5, 132 cells)

ET-N860TBHxxxGL

(xxx=625-650, in steps of 5, 120 cells)

ET-N860TBHxxxGB

(xxx=625-650, in steps of 5, 120 cells)

ET-N860TBHxxxGLB

(xxx=625-650, in steps of 5, 120 cells)

With ½ cut mono c-Si cell (under BNPI):

ET-NR66TBHxxxGL

(xxx=655, 660, 666, 671, 677, 682, 688, 132 cells)

ET-NR66TBHxxxGB

(xxx=655, 660, 666, 671, 677, 682, 688, 132 cells)

ET-NR66TBHxxxGLB

(xxx=655, 660, 666, 671, 677, 682, 688, 132 cells)

ET-NR48TBHxxxGL



Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50629469 0002

Berichtsnummer *Report No.:*

CN24ANYY 006

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

(xxx=479, 484, 490, 495, 501, 96 cells)
 ET-NR48TBHxxxGB
 (xxx=479, 484, 490, 495, 501, 96 cells)
 ET-NR48TBHxxxGLB
 (xxx=479, 484, 490, 495, 501, 96 cells)
 ET-NR72TBHxxxGL
 (xxx=655, 660, 666, 671, 677, 682, 688, 144 cells)
 ET-NR72TBHxxxGB
 (xxx=655, 660, 666, 671, 677, 682, 688, 144 cells)
 ET-NR72TBHXXXGLB
 (xxx=655, 660, 666, 671, 677, 682, 688, 144 cells)
 ET-NR54TBHxxxGL
 (xxx=490, 495, 501, 506, 512, 108 cells)
 ET-NR54TBHxxxGB
 (xxx=490, 495, 501, 506, 512, 108 cells)
 ET-NR54TBHxxxGLB
 (xxx=490, 495, 501, 506, 512, 108 cells)
 ET-N866TBHxxxGL
 (xxx=754, 759, 765, 770, 776, 781, 787, 792, 798, 132 cells)
 ET-N866TBHxxxGB
 (xxx=754, 759, 765, 770, 776, 781, 787, 792, 798, 132 cells)
 ET-N866TBHxxxGLB
 (xxx=754, 759, 765, 770, 776, 781, 787, 792, 798, 132 cells)
 ET-N860TBHxxxGL
 (xxx=688, 693, 699, 704, 710, 715, 120 cells)
 ET-N860TBHxxxGB
 (xxx=688, 693, 699, 704, 710, 715, 120 cells)
 ET-N860TBHxxxGLB
 (xxx=688, 693, 699, 704, 710, 715, 120 cells)
 xxx represents power output in Wp.

