


This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	ET SOLAR POWER HONGKONG LIMITED	Manufacturer:	GREEN WING SOLAR TECHNOLOGY CO.,LTD.
Address:	ROOM 01 21F XINGFA COMMERCIAL BUILDING 9TH TOBACCO FACTORY STREET MONG KOK, Hong Kong SAR	Address:	Lot D1-1, Dai Dong-Hoan Son Industrial Zone, Hoan Son Commune, Tien Du District, Bac Ninh Province
Country:	China	Country:	VIETNAM
Contact:	Li Wei	Contact:	Li Wei
Phone:	0086-13775662966	Phone:	0086 13775662966
FAX:	-	FAX:	-
Email:	liwei@bd-solar.com	Email:	liwei@bd-solar.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Intertek Testing Services Shanghai

Control Number: 5014647 **Authorized by:**  _____
for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]

Product: Crystalline Silicon Photovoltaic (PV) Modules

Brand Name: ET Solar

Models:	ET-P672 followed by 330, 335, 340 or 345; followed by WW or WB.
	ET-P660 followed by 275, 280 or 285; followed by WW or WB.
	ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB.
	ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB.
	ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB.
	ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB.
	ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB.
	ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB.
	ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440 or 445; followed by BB.
	ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB.
	ET-M772BH followed by 520, 525, 530, 535, 540, 545, 550 or 555; followed by TW, TB, WW or WB.
	ET-M766BH followed by 475, 480, 485, 490, 495, 500 or 505; followed by TW, TB, WW or WB.
	ET-M754BH followed by 390, 395, 400, 405, 410 or 415; followed by TW, TB, WW or WB.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: ET SOLAR POWER HONGKONG LIMITED

Manufacturer: VESOLAR COMPANY LIMITED

Address: ROOM 01 21F XINGFA COMMERCIAL BUILDING 9TH TOBACCO FACTORY STREET MONG KOK, Hong Kong SAR


Address: Lot CN2-7, Que Vo 3 Industrial Park, Viet Hung Town, Que Vo District, Bac Ninh Province, 790000

Country: China
Contact: Li Wei
Phone: 0086-13775662966
FAX: -
Email: liwei@bd-solar.com

Country: Vietnam
Contact: Li Wei
Phone: 0086 13775662966
FAX: -
Email: liwei@bd-solar.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Intertek Testing Services Shanghai

Control Number: 5017056

Authorized by: 
for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]


Product: Crystalline Silicon Photovoltaic (PV) Modules

Brand Name: ET Solar

Models:	ET-P672 followed by 330, 335, 340 or 345; followed by WW or WB.
	ET-P660 followed by 275, 280 or 285; followed by WW or WB.
	ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB.
	ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB.
	ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB.
	ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB.
	ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB.
	ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB.
	ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440 or 445; followed by BB.
	ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB.
	ET-M772BH followed by 520, 525, 530, 535, 540, 545, 550 or 555; followed by TW, TB, WW or WB.
	ET-M766BH followed by 475, 480, 485, 490, 495, 500 or 505; followed by TW, TB, WW or WB.
ET-M754BH followed by 390, 395, 400, 405, 410 or 415; followed by TW, TB, WW or WB.	

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	ET SOLAR POWER HONGKONG LIMITED	Manufacturer:	ET SOLAR TECHNOLOGY (CAMBODIA)CO., LTD
Address:	ROOM 01 21F XINGFA COMMERCIAL BUILDING 9TH TOBACCO FACTORY STREET MONG KOK, Hong Kong SAR	Address:	Road51,Damnak Pring Village, Tomnob Thom Commune,Ponhear Loe District,Kandal Province.
Country:	China	Country:	Cambodia
Contact:	Li Wei	Contact:	Zheng Lu Rong
Phone:	0086-13775662966	Phone:	0086-18651165405
FAX:	-	FAX:	-
Email:	liwei@bd-solar.com	Email:	lurongzheng@bd-solar.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai		
Control Number:	<u>5018215</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]	

Product: Crystalline Silicon Photovoltaic (PV) Modules

Brand Name: ET Solar

Models:	ET-P672 followed by 330, 335, 340 or 345; followed by WW or WB. ET-P660 followed by 275, 280 or 285; followed by WW or WB. ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB. ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB. ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB. ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB. ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB. ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB. ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440 or 445; followed by BB. ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB. ET-M772BH followed by 520, 525, 530, 535, 540, 545, 550 or 555; followed by TW, TB, WW or WB. ET-M766BH followed by 475, 480, 485, 490, 495, 500 or 505; followed by TW, TB, WW or WB. ET-M754BH followed by 390, 395, 400, 405, 410 or 415; followed by TW, TB, WW or WB.
----------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	ET SOLAR POWER HONGKONG LIMITED	Manufacturer:	JinTek Photovoltaic Technology CO.,LTD
Address:	ROOM 01 21F XINGFA COMMERCIAL BUILDING 9TH TOBACCO FACTORY STREET MONG KOK, Hong Kong SAR	Address:	PHUM PREY SALA,SANGKAT KAKAB TI 2.KHAN POU SENCHEY, PHNOM PENH.
Country:	China	Country:	Cambodia
Contact:	Li Wei	Contact:	Yang Wen Zhi
Phone:	0086-13775662966	Phone:	+855 016418269
FAX:	-	FAX:	-
Email:	liwei@bd-solar.com	Email:	wenzhi.yang@jinteksolar.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai		
Control Number:	<u>5018214</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]

Product: Crystalline Silicon Photovoltaic (PV) Modules

Brand Name: ET Solar

Models:	ET-P672 followed by 330, 335, 340 or 345; followed by WW or WB.
	ET-P660 followed by 275, 280 or 285; followed by WW or WB.
	ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB.
	ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB.
	ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB.
	ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB.
	ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB.
	ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB.
	ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440 or 445; followed by BB.
	ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB.
	ET-M772BH followed by 520, 525, 530, 535, 540, 545, 550 or 555; followed by TW, TB, WW or WB.
	ET-M766BH followed by 475, 480, 485, 490, 495, 500 or 505; followed by TW, TB, WW or WB.
ET-M754BH followed by 390, 395, 400, 405, 410 or 415; followed by TW, TB, WW or WB.	

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	ET SOLAR POWER HONGKONG LIMITED	Manufacturer:	SHENGTIAN NEW ENERGY VINA CO., LTD
Address:	ROOM 01 21F XINGFA COMMERCIAL BUILDING 9TH TOBACCO FACTORY STREET MONG KOK, Hong Kong SAR	Address:	Workshop A3-A4, Phu Thai Industrial Park, Phu Thai Town, Kim Thanh District, Hai Duong Province
Country:	China	Country:	Vietnam
Contact:	Li Wei	Contact:	Gu Fei
Phone:	0086-13775662966	Phone:	0086-13401645838
FAX:	-	FAX:	-
Email:	liwei@bd-solar.com	Email:	freddy.gu@snevn.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai		
Control Number:	<u>5019712</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]
	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]
	Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]

Product: Crystalline Silicon Photovoltaic (PV) Modules

Brand Name: ET Solar

Models:	ET-P672 followed by 330, 335, 340 or 345; followed by WW or WB.
	ET-P660 followed by 275, 280 or 285; followed by WW or WB.
	ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB.
	ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB.
	ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB.
	ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB.
	ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB.
	ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB.
	ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440 or 445; followed by BB.
	ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB.
	ET-M772BH followed by 520, 525, 530, 535, 540, 545, 550 or 555; followed by TW, TB, WW or WB.
	ET-M766BH followed by 475, 480, 485, 490, 495, 500 or 505; followed by TW, TB, WW or WB.
ET-M754BH followed by 390, 395, 400, 405, 410 or 415; followed by TW, TB, WW or WB.	


This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: ET SOLAR POWER HONGKONG LIMITED
Address: ROOM 01 21F XINGFA COMMERCIAL BUILDING 9TH TOBACCO FACTORY STREET MONG KOK, Hong Kong SAR
Country: China
Contact: Li Wei
Phone: 0086-13775662966
FAX: -
Email: liwei@bd-solar.com

Manufacturer: IMPERIAL STAR SOLAR (CAMBODIA)CO.,LTD
Address: 16km point of kingdom Highway 41,Kampong Speu
Country: Cambodia
Contact: NINA WANG
Phone: +86 15958280782
FAX: -
Email: nina.wang@imperialstar.biz

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Intertek Testing Services Shanghai

Control Number: 5020477 **Authorized by:**  _____
for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

	<p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]</p> <p>Standard(s): Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]</p> <p>Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]</p>
Product:	Crystalline Silicon Photovoltaic (PV) Modules
Brand Name:	ET Solar
Models:	<p>ET-P672 followed by 330, 335, 340 or 345; followed by WW or WB.</p> <p>ET-P660 followed by 275, 280 or 285; followed by WW or WB.</p> <p>ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB.</p> <p>ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB.</p> <p>ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB.</p> <p>ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB.</p> <p>ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB.</p> <p>ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB.</p> <p>ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440 or 445; followed by BB.</p> <p>ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB.</p> <p>ET-M772BH followed by 520, 525, 530, 535, 540, 545, 550 or 555; followed by TW, TB, WW or WB.</p> <p>ET-M766BH followed by 475, 480, 485, 490, 495, 500 or 505; followed by TW, TB, WW or WB.</p> <p>ET-M754BH followed by 390, 395, 400, 405, 410 or 415; followed by TW, TB, WW or WB.</p>

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	ET SOLAR POWER HONGKONG LIMITED	Manufacturer:	VINA SOLAR TECHNOLOGY CO LTD
Address:	ROOM 01 21F XINGFA COMMERCIAL BUILDING 9TH TOBACCO FACTORY STREET MONG KOK, Hong Kong SAR	Address:	Workshop E12, Lot CN-03, Van Trung Industrial Zone, Van Trung Commune Viet Yen District, Bac Giang Province
Country:	China	Country:	Vietnam
Contact:	Li Wei	Contact:	Weimin.Li
Phone:	0086-13775662966	Phone:	0086-(0)21-57645353-681
FAX:	-	FAX:	-
Email:	liwei@bd-solar.com	Email:	weimin.li@vinasolar.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Intertek Testing Services Shanghai

Control Number: 5020499 **Authorized by:** _____
for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
 545 East Algonquin Road, Arlington Heights, IL 60005
 Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

	<p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1+R:30Apr2020]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1+R:30Apr2020]</p> <p>Standard(s): Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]</p> <p>Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1]</p> <p>Terrestrial Photovoltaic (Pv) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1]</p>
Product:	Crystalline Silicon Photovoltaic (PV) Modules
Brand Name:	ET Solar
Models:	<p>ET-P672 followed by 330, 335, 340 or 345; followed by WW or WB.</p> <p>ET-P660 followed by 275, 280 or 285; followed by WW or WB.</p> <p>ET-M672 followed by 370, 375, 380, 385 or 390; followed by WW or WB.</p> <p>ET-M660 followed by 310, 315, 320 or 325; followed by WW or WB.</p> <p>ET-M672BH followed by 380, 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440, 445, 450 or 455; followed by WW or WB.</p> <p>ET-M660BH followed by 315, 320, 325, 330, 335, 340, 345, 350, 355, 360, 365, 370 or 375; followed by WW or WB.</p> <p>ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 435, 440, 445, 450 or 455; followed by TW or TB.</p> <p>ET-M660BH followed by 325, 330, 335, 340, 345, 350, 360, 365, 370 or 375; followed by TW or TB.</p> <p>ET-M672BH followed by 385, 390, 395, 400, 405, 410, 415, 420, 425, 430, 435, 440 or 445; followed by BB.</p> <p>ET-M660BH followed by 320, 325, 330, 335, 340, 345, 350, 355, 360, 365 or 370; followed by BB.</p> <p>ET-M772BH followed by 520, 525, 530, 535, 540, 545, 550 or 555; followed by TW, TB, WW or WB.</p> <p>ET-M766BH followed by 475, 480, 485, 490, 495, 500 or 505; followed by TW, TB, WW or WB.</p> <p>ET-M754BH followed by 390, 395, 400, 405, 410 or 415; followed by TW, TB, WW or WB.</p>